

74986-5

{ 5/13/2013 }

1/5



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

May 13, 2013

OFFICE OF CHEMICAL SAFETY
AND POLLUTION PREVENTION

Mr. Jeff Thomas, Chief Executive Office
Selective Micro Technologies, LLC
4449 Easton Way, Second Floor
Columbus, OH 43219

SUBJECT: Notification of Alternate Brand Name per PR Notice 98-10
PRODUCT NAME: **Selectroicide® 12G**
EPA REGISTRATION NUMBER: **74986-5**
APPLICATION DATE: April 26, 2013
APPLICATION RECEIVED DATE: May 1, 2013

Dear Mr. Thomas:

This acknowledges receipt of your Notification application, submitted under the provisions of FIFRA section 3(c)7(A) and PR Notice 98-10.

Pesticide Application:

"...we are notifying EPA that Selectroicide® 12G will be marketed under the Alternate Brand Name (ABN) **SelectroFresh 12G Food Processing...**"

General Comments:

Based on the review of the submitted material, the following comments apply. The Notification application is **Acceptable**. A copy of the **accepted** Notification is attached in **Regulatory File Jacket 74986-5**.

If you have questions or comments with regard to this Agency Letter, the please contact Killian Swift via email at Swift.Killian@epa.gov or by telephone at **703-308-6346**. When you are submitting information or data in response to this Agency Letter, please send a copy of this Agency Letter with your response in order to facilitate processing.

Sincerely yours,

A handwritten signature in black ink that reads "Michael L. Mendelsohn".

Michael L. Mendelsohn,
Acting EPA Product Manager 32
Regulatory Management Branch II
Antimicrobials Division 7510P



4/26/13

Via Certified Mail

Document Processing Desk (DCI/PRD)
Office of Pesticide Programs
US Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 S. Crystal Drive
Arlington, Virginia 22202

To: **Monisha Harris**
Team Leader 32
Regulatory Management Branch

Re: **Registrant: Selective Micro Technologies, LLC ("SMT")**
Product: Selectroicide® 12G (EPA Reg. 74986-5)
Notification – Addition of an Alternate Brand Name per PR Notice 98-10

Dear Ms. Harris:

On behalf of Selective Micro Technologies, LLC ("SMT"), we are notifying EPA that Selectroicide® 12G will be marketed under the Alternate Brand Name (ABN) of **SeletroFresh 12G Food Processing**. Enclosed is the required paperwork to support this ABN.

This notification is consistent with provisions of PR Notice 98-10 and EPA regulations at 40 C.F.R. § 152.46, and no other changes have been made to the confidential statement of formula of this product. The current proposed label is a reduced subset of the Master Label on file. I understand that it is a violation if 18 U.S.C. § 1001 to willingly make any false statement to the EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 C.F.R. § 152.46, this product may be in violation of FIFRA, and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Please contact me at the above number should you have any questions regarding this notification.

Sincerely,

Mr. Jeff Thomas, Selective Micro Technologies, LLC
President and CEO

CC: Mr. Kevin Dearwester, Selective Micro Technologies, LLC

NOTIFICATION
Date Received: May 1, 2013
Reviewed By: Killion B. Swift

Selectro Fresh™ 12G FOOD PROCESSING

SANITIZER/BACTERICIDE/FUNGICIDE/VIRUCIDE/DEODORIZER

When used as directed, this chlorine dioxide-generating product is proven effective as: a **sanitizer** against E. coli (and E. coli O157:H7), S. aureus, Salmonella typhimurium (MDRS), Klebsiella pneumonia, and Listeria monocytogenes; a **bactericide** against Erwinia chrysanthemi, a **fungicide** against Penicillium digitatum, Botrytis Sp, and Fusarium solani, a **virucide** against Norovirus (feline calici used as testing surrogate). See Technical Bulletin (page 4) for ATCC designation numbers of the above-listed organisms.

⚠ PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: DRY INGREDIENTS: CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE AND CAUSES SKIN BURNS. HARMFUL IF SWALLOWED. WEAR PROTECTIVE EYEWEAR (GOGGLES, FACE SHIELD OR SAFETY GLASSES) WHEN HANDLING DRY INGREDIENTS. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING OR USING TOBACCO. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE. ACTIVATED SOLUTION: CAUSES MODERATE EYE IRRITATION. AVOID CONTACT WITH EYES, SKIN, OR CLOTHING. AVOID BREATHING VAPORS. WASH THOROUGHLY WITH SOAP AND WATER AFTER HANDLING AND BEFORE EATING, DRINKING, CHEWING GUM OR USING TOBACCO.

PHYSICAL OR CHEMICAL HAZARDS

DRY SODIUM CHLORITE IS INCOMPATIBLE WITH ACIDS, REDUCING AGENTS, COMBUSTIBLE MATERIALS, SULFUR-CONTAINING RUBBER, SOLVENTS AND PAINTS. KEEP ACTIVATED SOLUTION FROM LIGHT AND HEAT. CHLORINE DIOXIDE GAS MAY CONCENTRATE IN OPEN SPACE OF POUCH. ALWAYS OPEN ACTIVATED POUCH, AND DILUTE ACTIVATED SOLUTION, IN WELL-VENTILATED AREA. NOTE: For use in the institutional or commercial applications discussed below and in the accompanying Technical Bulletin. Not for use in households or where young children may be present. Cap is not child-resistant.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE AND DISPOSAL. STORE IN COOL, DRY, VENTILATED AREA. STORE BELOW 50° C (122° F). KEEP PRODUCT OUT OF DIRECT SUNLIGHT. STORE SEPARATELY FROM WATER AND ACIDS. IF PACKAGE RUPTURES AND CONTENTS SPILL, DO NOT PERMIT CONTACT OF CONTENTS WITH ORGANIC MATERIALS (FOR EXAMPLE: CLOTHING OR COMBUSTIBLE MATERIALS) OR ACIDS. PESTICIDE WASTES ARE TOXIC. IMPROPER DISPOSAL OF EXCESS DRY PESTICIDE IS A VIOLATION OF FEDERAL LAW. IF THIS PRODUCT CANNOT BE USED ACCORDING TO LABEL INSTRUCTIONS, CONTACT YOUR STATE PESTICIDE OR ENVIRONMENTAL CONTROL AGENCY, OR THE HAZARDOUS WASTE REPRESENTATIVE AT THE NEAREST EPA REGIONAL OFFICE FOR GUIDANCE. NONREFILLABLE CONTAINER. DO NOT REUSE OR REFILL THIS CONTAINER. COMPLETELY EMPTY ACTIVATED SOLUTION IN POUCH INTO APPLICATION EQUIPMENT. OFFER FOR RECYCLING, IF AVAILABLE, OR DISPOSE OF EMPTY POUCH IN A SANITARY LANDFILL OR BY INCINERATION, OR, IF ALLOWED BY STATE AND LOCAL AUTHORITIES, BY BURNING. IF BURNED, STAY OUT OF SMOKE.

WARRANTY STATEMENT

The Company warrants the product to be free from defects in material and workmanship. THE COMPANY MAKES NO WARRANTY THAT THE GOODS SHALL BE MERCHANTABLE. THE COMPANY MAKES NO WARRANTY, EXPRESSED OR IMPLIED, EXCEPT SUCH AS IS EXPRESSLY SET FORTH HEREIN. The Company shall not be liable for any incidental or consequential damages for any breach of warranty. The Company's liability for any breach of warranty shall be limited to the purchase price of the product.

FIRST AID

If in Eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

If Swallowed: Call poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If Inhaled: Remove victim to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for treatment advice. Get medical attention.

Have the product container or label with you when calling a poison control center, doctor, or going for treatment.

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

EPA Registration No. 74986-4 EPA Establishment No. 071441-OH-004

KEEP OUT OF REACH OF CHILDREN DANGER

Active Ingredient:
Sodium Chlorite:.....30.5%
Other Ingredients:..... 69.5%
Total:.....100.0%

Amount of Chlorine Dioxide generated = 0.05% in 24 liters of water
Net Weight of contents.....6.32 ounces (179.22 grams)



DIRECTIONS FOR USE:

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH THE LABELING. READ THE ENTIRE LABEL AND USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND USE DIRECTIONS.

1. Open the package, ensuring the 12G envelope inside is not cut. Discard desiccant.
2. To achieve an aqueous solution of 500 ppm chlorine dioxide, immerse (submerge) the 12G envelope in container with 24 liters of water. [To achieve an aqueous solution of 100 ppm chlorine dioxide directly, immerse (submerge) the 12G envelope in container with 120 liters of water.] Close/seal container tightly. Container interior should be dark and resistant to oxidation. See Technical Bulletin for recommendations regarding amount of water, contact times and dilutions for specific applications, and recommended container specifications.
3. WAIT AT LEAST 10 HOURS BEFORE USE TO ENSURE SOLUTION REACHES FULL STRENGTH. DO NOT REMOVE 12G FROM CONTAINER OF WATER PRIOR TO 10 HOURS.
4. Remove 12G from container and mix gently before use. Work in well-ventilated area and avoid inhaling fumes. Wear protective gloves if hands will come into contact with activated solution during dilution or application; wear NIOSH/MHSA-approved respirator for chlorine dioxide if working with stock (500 ppm) solution in open container. Remove envelope from container within 48 hours after activation. Do not reuse the 12G. Discard envelope according to instructions below. Before use, verify concentration with Selective Micro® Chlorine Dioxide Test Strips to ensure appropriate concentration (see Technical Bulletin for directions if Test Strips indicate lower-than-desired concentration).
5. Activate prior to expiration date stamped on package. Store unused solution (and/or subsequent dilutions) in a dark, oxidation-resistant closed or sealed container. Record activation date and concentration on stick-on label shipped with the product, and affix to storage container. Store activated solution in cool place out of direct sunlight (do not store in refrigerator dedicated to food storage). Test solution and/or subsequent dilutions using colorimetric test strips to ensure accurate ppm concentration before use.

When used as directed, on hard, non-porous surfaces (e.g., stainless steel, brass, glass, vinyl, PVC, polypropylene), this product is an effective sanitizer, virucide, fungicide, algacide, general-purpose antimicrobial and cleaner for use in a wide range of applications. Heavily soiled surfaces must be pre-cleaned prior to treatment. Apply by mop, sponge, or sprayer, ensuring visible wetness for times specified for these applications, or apply through immersion or clean-in-place application. Wear a NIOSH/MHSA-approved respirator appropriate for chlorine dioxide when using a high-pressurized sprayer and under other circumstances detailed in the Technical Bulletin.



GENERAL DILUTION INSTRUCTIONS:

All dilutions begin with a stock solution at a nominal concentration of 500 ppm, except when the product is activated directly to the application concentration (see technical bulletin). Except where otherwise directed, or for other use concentrations (see technical bulletin), use the following dilution instructions to achieve the use concentration indicated:

To Achieve Use Concentration of:	Use Dilution Device or Sprayer With a Dilution Ratio of:
100 ppm	1:5 (one part 500 ppm solution to 4 parts water)
50 ppm	1:10 (one part 500 ppm solution to 9 parts water)
20 ppm	1:25 (one part 500 ppm solution to 24 parts water)
5 ppm	1:100 (one part 500 ppm solution to 99 parts water)
0.25 ppm	1:2,000 (one part 500 ppm solution to 1,999 parts water)

SANITIZER FOR HARD, NON-POROUS, FOOD-CONTACT SURFACES. Effective food contact surface sanitizer at 5 ppm against E. coli and E coli O157:H7, Salmonella typhimurium (MDRS), and Staphylococcus aureus with an exposure time of 1 minute. Product may be used on previously cleaned food preparation surfaces; fountain drink and beverage dispensers; glassware, plates and eating utensils; food processing equipment, including beer processing equipment and lines, and food conveyor belts. Dilute to 5 ppm as table above specifies. See Technical Bulletin for alternative dilution instructions and application specifics.

SANITIZER FOR HARD, NON-POROUS, NON-FOOD-CONTACT SURFACES. Effective non-food contact surface sanitizer at 20 ppm against Staphylococcus aureus, Klebsiella pneumonia and Listeria monocytogenes with an exposure time of 5 minutes. Product may be used on non-food contact surfaces, including floors, walls, furnishings, and equipment. Dilute to 20 ppm as table above specifies. See Technical Bulletin for alternative dilution instructions and application specifics.

FRUIT AND VEGETABLE WASH TO EXTEND FRESHNESS AND SHELF-LIFE. This product may be used at 5 ppm for 1 minute to reduce spoilage microorganisms on raw agricultural commodities (RACs) in food processing facilities. Spray or dip RACs, and follow with a potable water rinse or by canning, blanching, or cooking. Dilute to 5 ppm as table above specifies. See Technical Bulletin for detailed directions and other dilution and application specifics.

GENERAL DISINFECTANT, SANITIZER, ALGAECIDE AND FUNGICIDE FOR HORTICULTURAL AND GREENHOUSE APPLICATIONS: For horticultural applications, this product may be used to disinfect (100 ppm/10 minutes or 50 ppm/20 minutes) and sanitize (20 ppm/5 minutes) hard, non-porous surfaces; to treat, control, and prevent fungi (5 ppm/1 hour) (Penicillium digitatum, Botrytis Sp, Fusarium solani & oxysporum f. sp. Basilicum (Fob), and Pythium irregulare & aphanidermatum), bacteria (Erwinia chrysanthemi), algae (Phormidium boneri), attendant slimes, rusts, leaf spot and mildews; and to remove slimes (50 ppm/12 hours-overnight) & inhibit reemergence (0.25 ppm/continuous treatment) in irrigation and other non-potable water systems. Concentrations and contact times are application-specific; dilute to use concentrations as table above specifies. See Technical Bulletin for detailed directions and other dilution and application specifics.

DISINFECTANT OR VIRUCIDE* FOR HARD, NON-POROUS SURFACES: Product may be used at 100 ppm with an exposure time of 10 minutes to disinfect hard surfaces in medical facilities or veterinary clinics that may be contaminated with Feline Calicivirus. This product may be used as a disinfectant or virucide on general environmental surfaces. Dilute to 100 ppm as table above specifies. See Technical Bulletin for detailed directions and other dilution and application specifics.